

SA08-BAR
300 Bar tank pressure checker



SA08
Tank pressure checker 5000 psi

Gauges if dropped may not indicate incorrect pressure. All gauges are checked prior to shipping

SA16-BAR
300 Bar
DIN tank
pressure
checker

SA16
5000psi
DIN
Tank
pressure
checker



S144
5000 psi tank pressure checker
with push button bleeder

S145
300 bar tank pressure checker
with push button bleeder



S108
Pneumatic air pressure checker



S108-BAR
300 Bar pneumatic air pressure checker

S131
Replacement piston valve for most
of our pneumatic valves
(Uses R115 & R017 o-rings)

A207
1/4" NPT Swivel end to 1/4NPT"
High pressure swivel end

SA14
5000 psi 1/4" NPT
Gauge with boot

SA17
2" Rubber boot (only) for
tank pressure checkers

SA14-BAR
300 Bar 1/4" NPT
Gauge with boot

PAINT BALL GUN FILLERS & PARTS

S142
Paint ball gun filler with gauge

S146
Deluxe paint ball gun filler with gauge

S141
Replacement QD nipple for paint ball fillers

S130
Replacement gauge for paint ball fillers

NEW

S205
Regulator rebuild kit

NEW

S206
ASA adapter QD male

NEW

S201
ASA adapter push & connect

NEW

S204
Slide check adapter

We can special order most Paintball parts, call for details

CO-PRO is a quick and effective way to detect the presence of Carbon Monoxide (CO) in breathing air. If the air is contaminated by CO, the Capsule within the clear balloon will change color. That's all there is to it.

NEW

S203-1800
Paintball burst disc 1800
S203-5000
Paintball burst disc 5000
S203-7500
Paintball burst disc 7500

NEW



S202
Male ASA adapter

D212 15" Tank sticker
DS16 23" Tank sticker

NEW

X601-24
CO-PRO 24 pack with counter display

NEW

X601-1
CO-PRO singles

NEW

X601-5
CO-PRO 5 pack

BURST DISC ASSEMBLIES

SEPARATE PIECES ARE NOT AVAILABLE

STANDARD 3/8" ASSEMBLIES

A159 2015 PSI
AA60 2250 PSI
A158 2400 PSI
AA61 3000 PSI
AA62 3300 PSI
A157 3500 PSI

LARGE 1/2" ASSEMBLIES

AA57 2250 PSI
AA58 3000 PSI
AA59 3300 PSI
A160 3442 PSI

A210
Genesis 3000 psi
burst disc assembly

A211
Genesis 3400 psi

A360
Dump valve
for 1” - 1 38” holes

FIRST STAGE PLUGS

AA73
3/8"

AA74
7/16"

A175
1/2"

A250
Nylon washer for
3/8” burst disc
assemblies

SA12
Short style replacement
bleeder screw

SA19
Long style replacement
bleeder screw

REGULATOR FILTER PARTS

A197
Flat top
filter
12mm H
10.8mm W

AA70
Conical
course filter
15.7mm H
12.3mm W

A176
Flat base
fine filter
15.5mm H
12.4mm W

A164
DIN
filter
2.05mm H
8.95mm W

AA71
Standard
filter
1.5mm H
12.4mm W

AA72
Star
clip
.3mm H
13mm W

A232-PSI
5000 PSI mini gauge
A232-Bar
350 bar mini gauge

A120
Mini pony bottle
high pressure
5000 psi gauge
7/16” threading

A170
First stage L.P.
3/8" relief valve
200-250 psi open



A204
H.P. Hose adapter
Connect a pony bottle pressure gauge
to HP Hose with this unit

A212
Base W 9.5mm
Height 30.7mm
fits Enduro, Extreme,
Quantum and others

A213
Base W 9.55mm
Height 17.98mm
fits Ice, 260, 460, 960
and others

A214
Base W 9.65mm
Height 12.02mm
fits Mares, Formula, 300,
350, and others

A215
Base W 9.67mm
Height 11.5mm
fits Apollo,
USD and others

A216
Base W 9.49mm
Height 11.59mm
fits Dacor, Mares,
USD and others

A217
Base W 9.66mm
Height 18.26mm
fits Dacor 900/950

A243
Base W 11.6mm
Height 18.9mm
fits Aeris and others

A244
Base W 9.6mm
Height 11.6mm
fits USD, Mares and others

The above and below listed products are not GENUINE FACTORY MADE PARTS

REGULATOR L.P SEATS
actual size



AA88
.267" w .08
USD
BEAUCHAT
AERIS
OCEANIC

A149
.267" w .10
DACOR
SHERWOOD

A119
.272" w 0.63
SCUBAPRO

AA89
.305" w .093
USD
DIVE-RITE

A193
Fits U.S. Divers tank valve (stem)



A208
Sherwood Genesis
HP seat

A192
Fits U.S. Divers
tank valve (plug)

A148
Rivet style LP seat
.26 Tall,
.27 Wide at base

A218
9.83mm x 9.95mm
Dacor

A240
Base W 4.82mm
Height 3.38mm
Fits Sherwood

A242
Base W 12.77mm
Height 7.2mm
Fits Scubapro MK5/10

A246
Base W 4.6mm
Height 2.4mm
for Dacor

A290
Base W 12.7mm
Height 9.75mm
Fits Oceanic



AA96
USAIR tank valve rebuild kit
Fits most tank valves



A172
Sherwood tank valve rebuild kit



A122
“USAIR” DIN Valve rebuild kit

A200
GENESIS OEM Tank Valve service kit



A125
Thermo nitrox certified tank valve rebuild kit

A227
Genesis bonnet & stem assembly

Valves should be serviced every hydro if not sooner

STANDARD TANK VALVE REPLACEMENT PIECES



A B C D E F G H I K

AA96-A Thick teflon washer
AA96-B Copper gasket
AA96-C Bonnet nut
AA96-D Plug / seat assembly
AA96-E Stem
AA96-F O-ring **R214**
AA96-G O-ring **R014**
AA96-H O-ring **R010**
AA96-I Thin teflon washer
AA96-K Big thin teflon washer

A155
O.D. 36mm
Height 1.1mm
for Dacor

A239
O.D. 33.1mm
Width 3.1mm
I.D. 30mm
for Dacor



A171
O.D. 34.8mm
Width 3.4mm
I.D. 31.4mm



A163
O.D. 34.8mm
Height 1.65mm
Fits most first stages



A144
O.D. 39 mm
Height 1.65mm



S106
Heat treated die stamps 9 piece number set
with plastic case 4mm

S107
Heat treated die stamps 27 piece letter set
with plastic case 4mm
Great for marking valves and tanks for rental



SA70
Rubber mallet



S195
2nd Stage regulator cover
remover makes it easy to
tighten & remove plastic covers

REGULATOR DIAPHRAGMS



A145-69mm
Round black

A145-75mm
Round black



A146-black
Oval 68mm X 45mm

A146-clear
Oval 68mm X 45mm

For Sherwood oval regs



S118
HP spool O-ring insert tool



S119
High pressure seat removal tool

Silicone spray will help extend the life of most silicone and rubber products

REPLACEMENT PURGE VALVES

RP34
BLACK
33mm

RP34
CLEAR or BLACK
29mm

RP34
CLEAR
26mm



RP34
CLEAR
22mm or 23mm

RP34
CLEAR
23mm x 16mm



RP34
CLEAR
20mm

RP34
CLEAR
18mm



AA96
USAIR tank valve rebuild kit
Fits most tank valves



A172
Sherwood tank valve rebuild kit

STANDARD TANK VALVE REPLACEMENT PIECES

A **B** **C** **D** **E** **F** **G** **H** **I** **K**

AA96-A Thick teflon washer
AA96-B Copper gasket
AA96-C Bonnet nut
AA96-D Plug / seat assembly
AA96-E Stem
AA96-F O-ring **R214**
AA96-G O-ring **R014**
AA96-H O-ring **R010**
AA96-I Thin teflon washer
AA96-K Big thin teflon washer

VINDICATOR TANK VALVE KNOBS

OX = OXYGEN **STD** = STANDARD AIR **NIT** = NITROX

Each model is available in each style color of valve knob

A321-
Halcyon

A322-
Catalina, Dacor, OMS,
PST, Sherwood 4000
Sherwood 5000, Thermo

A323-
Dive Rite, Scuba Max,
Scuba Pro, Youngdo

A324-
Sherwood 6300,
U.S. Diver/Aqua Lung

A325-
U.S. Divers
(Santa Ana, Cal.)

A326-
Blue Steel

A327-
Genesis KA-70,
Midland Diving equip

A328-
XS Scuba,
Harrison

Vindicator “OFF” position

Vindicator “ON” position

REPLACEMENT TANK VALVE KNOBS & PARTS



A229
Generic



A111
Generic



A123
Fits Thermo

A118
Fits Thermo



AA84
Fits Sherwood

AA85
Generic

A102
Fits USD, OMS
& Luxfer

A195
Fits Genesis

A151
Knob nut

A152
Knob spring

SA48
Tank valve nut tool

SA99
Tank valve nut tool

S176
All-In-One Tank Valve Multi-Tool for Sherwood valves



S155
Mini tank valve tool
3 allen wrenches
phillips and flat screwdriver
brass o-ring pick, schrader valve tool
tank valve screw remover

S175
All-In-One Tank Valve Multi-Tool for Thermo / USAir valves



DA68
Stainless steel tank valve tool kit

S174
All-In-One Tank Valve Multi-Tool for Genesis valves

A360
BCD quick dump kit
works with hole sizes
3/4" - 1 1/4" ID
Comes with gasket



AA86-13
13" Corrugated
BCD x 1" ID hose

AA86-16
16" Corrugated
BCD X 1" ID hose

AA86-19
19" Corrugated
BCD X 1" ID hose

Inflators should be serviced annually

AA45
Power inflator 1" OD

A267
Standard power inflator

A108
Oral inflator



AA82
Complete BC quick dump assembly 1"

AA81
Quick dump with wire

A135
Pin for AA45 inflator

SA69
B.C.D inflator valve tool

A126
CBCIP Inspection certificate
tie wraps onto inflator tube
3" diameter.

A121
Rebuild kit
for AA45 & A267 inflators



A153
O Ring kit
for AA45 inflator

B.C.D. INFLATOR STEMS
3/8" male thread with O-ring

AA08-A
Standard

AA08-B
Scubapro

AA08-C
Mares /
Seaquest

SA60
B.C.D.
Rapid exhaust and dump valve tool

A233
BCD Wash out kit
Garden hose to inflator setup



A161
Anodized aluminum DIN caps
Red, gold, blue, silver, black or green



A143
200 Bar DIN cap
machined delrin



A141
300 Bar DIN cap
machined delrin

A161GRN
Aluminum Nitrox DIN valve cap

RP68
DIN vinyl tank valve caps
White, green, blue, yellow or black



RP67
Vinyl DIN regulator thread protector



RP17
Rubber 1st stage dust plug

RP47
O-ring sealed 1st stage dust cap



A162
Anodized aluminum first stage DIN plugs
Silver, blue, red, black, gold, or green



RP60
Rubber valve cap
Yellow, black, blue



A140
First stage DIN plug
machined delrin



A162GRN
Aluminum Nitrox
DIN valve plug



R529
Tank valve protectors with full or empty label
Black, pink, green or blue



RP66
Standard cupped vinyl tank valve caps, with string
Yellow, red, green, pink, blue, black

NT31
For nitrox only
valve cap

ABOVE and BELOW WATER
DIVE ALERT PLUS V.2

D729V
Dive alert plus V.2 for ScubaPro A.I.R. 2
Atomic, TUSA Duo-Air, “new” Zeagle

D727V
Dive alert plus V.2 for all standard power inflators

D728V
Dive alert plus V.2 for SeaQuest AirSource, Apeks
Octo Plus, Zeagle Octo Plus, Beauchat Venturi,
Aqua Lung Air Mic, and Oceanic Air XS

ABOVE & BELOW WATER SCUB-ALERT®

D645
Scub-Alert
for all standard power inflators

D646
Scub-Alert for SeaQuest AirSource,
Apeks Octo Plus, Zeagle Octo Plus,
Beauchat Venturi, Aqua Lung Air Mic,
and Oceanic Air XS

D647
Scub-Alert for ScubaPro A.I.R. 2
Atomic, TUSA Duo-Air, “new” Zeagle
Newer Sherwoods

D620
Scub-Alert inflator / noise maker
with standard fitting



DA17
O-ring sealed waterproof identification tube with
write on identification paper, stainless steel ring
Assorted transparent colors

DA16
25 pack replacement identification labels

D632
Aquatec Duo
for all standard power inflators

D633
Aquatec Duo
for SeaQuest AirSource,
Apeks Octo Plus, Zeagle Octo Plus, Beauchat Venturi,
Aqua Lung Air Mic, and Oceanic Air XS

D634
Aquatec Duo
for ScubaPro A.I.R. 2
Atomic, TUSA Duo-Air, “new” Zeagle

ABOVE WATER DIVE ALERT®



DA43
Dive alert
for all standard power inflators

D612
Dive alert for SeaQuest AirSource,
Apeks Octo Plus, Zeagle Octo Plus, Beauchat
Venturi, Aqua Lung Air Mic, and Oceanic Air XS

D613
Dive alert for ScubaPro A.I.R. 2
Atomic, TUSA Duo-Air, “new” Zeagle

OmniSwivel International

High quality, precision built adapters made in the USA

3/8”- 24” Male Adapters

OS-SZMWF
3/8”-24 MALE - 1/2-20 FEMALE
LOW PRESSURE

OS-SZMXF
3/8”-24 MALE - 7/16”-20 FEMALE
HIGH PRESSURE

OS-SZMXM
3/8”-24 MALE - 7/16”-20 MALE
LOW PRESSURE

OS-SZMYFI
3/8”-24 MALE - 9/16”-18
INSERT FEMALE,
LOW PRESSURE

OS-SZMYM
3/8”-24 MALE - 9/16”-18 MALE
LOW PRESSURE

OS-SZMZF1
3/8”-24 MALE - 3/8”-24 FEMALE
5/8” EXTENSION,
LOW PRESSURE

OS-SZMZF2
3/8”-24 MALE - 3/8”-24 FEMALE
1” EXTENSION, LOW PRESSURE

Pictures are only examples of the type of adapters that are listed

OmniSwivel International

High quality, precision built adapters made in the USA

Manifold Blocks

OS-MBX2
HIGH PRESSURE Y ADAPTER

OS-MBZ2
Y-BLOCK
9/16”-18 FEMALE
2 PORTS - 3/8”-24 FEMALE

OS-MBZ3
Y-BLOCK (1PORT) 9/16”-18 FEMALE TO
3 PORTS 3/8”-24 FEMALE

OS-MBZ6
6 PORT MANIFOLD BLOCK ALL PORTS
3/8”- 24 FEMALE

OS-MBZ8
8 PORT SQUARE MANIFOLD BLOCK
3/8”-24 FEMALE

Pictures are only examples of the type of adapters that are listed

OmniSwivel International

High quality, precision built adapters made in the USA

Gas Switch Blocks

OS-GSBL
3/8”- 24 FEMALE OR ADAPTED 9/16”-18 MALE INLET PORTS
TO 1 PORT 3/8”- 24 FEMALE OUTLET LEFT HAND

OS-GSBR
3/8”- 24 FEMALE OR ADAPTED 9/16”-18 MALE INLET PORTS
TO 1 PORT 3/8”- 24 FEMALE OUTLET RIGHT HAND

Parts not listed may be special ordered, call for details

OmniSwivel International

High quality, precision built adapters made in the USA

Poseidon Cyklon Adapters

OS-CMZF
CYKLON 60 STANDARD
14 X 1.25mm MALE
TO 3/8”- 24 FEMALE

Pictures are only examples of the type of adapters that are listed



OmniSwivel International

High quality, precision built adapters made in the USA

Dust Caps

OS-DSA
DUST CAP SET FOR AGA,
MALE AND FEMALE

OS-DSS
DUST CAP SET
FOR STANDARD FITTING
MALE & FEMALE

Port Plugs

OS-PLW
PORT PLUG, 1/2-20” LOW PRESSURE

OS-PLX
7/16-20 LOW PRESSURE PORT PLUG

OS-PLYF1
9/16”-18 FEMALE INSERT PLUG

OS-PLZ
3/8”- 24 3/16 HEX HEAD PORT PLUG

Test Plugs

OS-TPE
POSEIDON EXTREME TEST PLUG

OS-TPPC
POSEIDON TEST PLUG

OS-TPS
9/16”-18 STANDARD TEST PLUG,
MALE AND FEMALE

OS-TPA
AGA TEST PLUG MALE

OmniSwivel International

High quality, precision built adapters made in the USA

2nd Stage Omni Swivels with 360 Degree rotation

OS-SWA
AGA 2ND STAGE SWIVEL
TO 9/16”-18 STANDARD HOSE

OS-SWPC
POSEIDON (CYKLON) 2ND STAGE
OMNISWIVEL TO 9/16”-18 MALE

OS-SWS
STANDARD
9/16”-18 2ND STAGE

OS-OKA
AGA 2ND STAGE SWIVEL O-RING KIT

OS-SWPE
POSEIDON (EXTREME)
OMNISWIVEL

OS-OKS
REBUILD KIT FOR SWIVELS
SWA, OKA, SWPC, SWPE, SWS

Pictures are only examples of the type of adapters that are listed

QD = Quick Disconnect 2 piece kits

OS-QDYFS
1 each 9/16”-18 male to female QD
1 ea 9/16”-18 female to male QD
2 piece set

Sold separately as:
OS-QDF-YM
9/16”-18 male to female QD
OS-QDM-YFI
9/16”-18 female to male QD
OS-QDF-YM-B (Big Nut)
9/16”-18 male to male QD

OS-QDYMS
9/16”-18 male to male QD
1 each 9/16”-18 female to male QD
2 piece set

OS-QDZMS
QD female to 9/16”-18
and QD male to 3/8”- 24 male
2 piece set

OS-QDCVS
1 each 9/16”-18 male to female QD
1 each 3/8”- 24 male to male QD
2 piece set

OS-QDFHS
QD female to 9/16”-18 male,
QD male to 3/8”- 24 male,
60 micron filter with
1 lb check valve 2 piece set

Pictures are only examples of the type of adapters that are listed

90 Degree non-swivel elbows

OS-ELVMZF
90 DEGREE ELBOW
1/8NPT MALE TO 9/16”-18 --
FEMALE INSERT

OS-ELYMZF
90 DEGREE ELBOW
9/16”-18 MALE TO 3/8”- 24
FEMALE INSERT

OS-ELZF2
90 DEGREE ELBOW
3/8”- 24 FEM TO 3/8”- 24 FEMALE

Pictures are only examples of the type of adapters that are listed

OmniSwivel International

High quality, precision built adapters made in the USA

1st Stage 98 Degree Angle Pivot Swivels with 360 Degree Rotation

OS-ELA
98˚ ELBOW, 9/16”-18 MALE
TO AGA FEMALE

OS-ELPC
98˚ ELBOW, 9/16”-18 MALE
TO POSEIDON CYKLON

OS-ELS
98˚ ELBOW, 9/16”-18 MALE
TO STANDARD 9/16”-18 FEMALE

OS-PSHP1
HIGH PRESSURE 1 OUTLET

OS-PSLP1
FIRST STAGE PIVOT SWIVEL,
LOW PRESSURE PIVOT SWIVEL,
L-SHAPED, STREAMLINE, 3/8”- 24 MALE
TO 3/8”- 24 FEMALE
360 DEGREE ROTATION

OS-PSLP2
FIRST STAGE PIVOT SWIVEL, L SHAPED,
LP 3/8”- 24 MALE
TO (2 PORTS) 3/8”- 24 FEMALE

OS-PSLP3
FIRST STAGE LOW PRESSURE
REBREATHER PIVOT SWIVEL, L SHAPED,
3/8”- 24 MALE TO 3/8”- 24 FEMALE,
BUILT IN 1/4” EXTENSION

OS-PSLP4
FIRST STAGE PIVOT SWIVEL, T

OS-PSLP5
FIRST STAGE PIVOT SWIVEL, + SHAPED,
LOW PRESSURE (1) 3/8”- 24 MALE
TO (3) 3/8”- 24 FEMALE

OS-PSLP6
FIRST STAGE REGULATOR,
LOW PRESSURE PIVOT SWIVEL,
L-SHAPED, STREAMLINE,
9mm MALE TO 3/8”- 24 FEMALE

Pictures are only examples of the type of adapters that are listed

3/8”- 24” Female Adapters

OS-SZFXF
3/8”- 24 FEMALE - 7/16-20” FEMALE
LOW PRESSURE

OS-SZFXM
3/8”- 24 FEMALE - 7/16-20” MALE
LOW PRESSURE

OS-SZFYF1
3/8”- 24 FEMALE to
9/16” -18 FEMALE WITH INSERT

OS-SZFYM
3/8”- 24 FEMALE to
9/16”-18 MALE
LOW PRESSURE

OS-SZFZF
3/8”- 24 FEMALE to
3/8”- 24 FEMALE

Pictures are only examples of the type of adapters that are listed



Hose Repair Kit

OS-HRKS
HOSE REPAIR KIT
FOR 5/16” ID HOSE. 2 PIECE SET.
3/8”- 24 MALE AND
9/16”-18 FEMALE LOW PRESSURE

Injection Valve

OS-MIV1
MANUAL INJECTION VALVE,
9/16”-18 FEMALE PORTS,
1 INLET, 1 OUTLET.
1 EACH 3/8”- 24 FEMALE PORT ON THE
SIDE OPPOSITE OF PUSH BUTTON.
INCLUDES DILUENT AND 02 SHAFT

Swivel Tool Kit

OS-RKTK
2ND STAGE SWIVEL REPAIR TOOL KIT,
INCLUDES T-HANDLE HEX WRENCHES,
SCREW DRIVER AND SPECIAL HOLDING
TOOL FOR THE SWIVEL

OmniSwivel International

High quality, precision built adapters made in the USA

BCD Quick Disconnects

Pictures are only examples of the type of adapters that are listed

OS-QDBCYF1
MALE QUICK DISCONNECT FOR BCD
9/16”-18 Female with insert

OS-QDBCZM
QUICK DISCONNECT FOR BCD
3/8”- 24 Male Low Pressure

Hose Barb Adapters

OS-HBTAF1
AGA INSERT AND NUT
TO 5/16” HOSE BARB

OS-HBTCF1
5/16” HOSE BARB TO CYKLON
FEMALE INSERT

OS-HBTZM
HOSE BARB 5/16” OD TO 3/8”-24 MALE

OS-HBUYF1
1/4” HOSE BARB TO 9/16”-18 FEMALE
WITH INSERT

OS-HBUZM
1/4” HOSE BARB TO 3/8”- 24 MALE

Pictures are only examples of the type of adapters that are listed

SHUT OFF VALVES

OS-SOV1
SHUT OFF VALVE Streamline Rebreather
.75” OD 9/16”-18 MALE TO 9/16”-18 FEMALE

OS-SOV2
Inline SHUT OFF VALVE
1” OD 9/16”-18 MALE TO FEMALE

OS-SOV3
SHUT OFF VALVE 3/8”-24 Female
TO 3/8”-24 MALE Reversible sleeve

OS-SOV4
Inline SHUT OFF VALVE 1” OD 9/16”-18 MALE
TO 9/16”-18 FEMALE

CHECK VALVES

OS-CV1
ONE WAY CHECK VALVE
9/16”-18 Female
TO 2 port 3/8”-24 Male

Pictures are only examples of the type of adapters that are listed

OmniSwivel International

High quality, precision built adapters made in the USA

Filter Housings

OS-FH15
15 MICRON FILTER HOUSING
3/8”-24 MALE TO 9/16”-18 MALE,
15 MICRON CONE FILTER, REPLACEABLE

OS-FH60
60 MICRON FILTER HOUSING
3/8”-24 MALE TO 9/16”-18 MALE,
60 MICRON CONE FILTER, REPLACEABLE

Pictures are only examples of the type of adapters that are listed

9/16”-18” Male Adapters

OS-SYMWM
9/16”-18 MALE - 1/2”-20 MALE LOW PRESSURE

OS-SYMXM
9/16”-18” MALE - 7/16-20”MALE LOW PRESSURE

OS-SYMXF
9/16”-18” MALE - 7/16”-20 FEMALE, EXTENSIONS
LOW PRESSURE 2 PIECES 1/2” AND 1” LENGTH

OS-SYMYM
9/16”-18” MALE TO 9/16”-18 MALE
LOW PRESSURE

Pictures are only examples of the type of adapters that are listed

1/4” NPT Adapters

OS-NPUMZF
1/4”NPT MALE - 3/8”- 24 FEMALE
LOW PRESSURE

OS-NPUMXF
1/4” NPT MALE - 7/16-20 FEMALE
HIGH PRESSURE

OS-NPUMYM
1/4”NPT MALE - 9/16”-18 MALE
LOW PRESSURE

OS-NPUFZM
1/4”NPT FEMALE - 3/8”- 24 MALE
LOW PRESSURE

OS-NPUMYF1
1/4”NPT MALE - 9/16”-18”FEMALE INSERT,
LOW PRESSURE

Pictures are only examples of the type of adapters that are listed

1/8” NPT Adapters

OS-NPVFZM
1/8”NPT FEMALE - 3/8”- 24 MALE

OS-NPVMYF1
1/8”NPT MALE - 9/16”-18
INSERT FEMALE, LOW PRESSURE

OS-NPVMYM
1/8”NPT MALE - 9/16”-18 MALE
LOW PRESSURE

Pictures are only examples of the type of adapters that are listed

AGA / Interspiro Adapters

OS-AMYFI
AGA Male - 9/16”-18
Female Insert Low Pressure

OS-AMZF
AGA Male to 3/8”- 24
Female adapter Low Pressure

AA29
7/16”-20 female
X
7/16”-20
High pressure spacer

AA50
7/16"-20 male
X
3/8" female

AA51
3/8" male
X
7/16"-20 female

AA49
3/8" male
X
1/2"-20 female

A232-PSI
5000 PSI mini gauge
A232-Bar
350 bar mini gauge

A120
Mini pony bottle
high pressure
5000 psi gauge
7/16” threading



A204
H.P. Hose adapter
Connect a pony bottle pressure gauge
to HP Hose with this unit

H.P. SWIVEL SPOOLS WITH O-RINGS



AA87 **AA63** **A142**

O-rings should be changed annually on most products (use R003)

AA46
3/8” M X 3/8” swivel
uses R010 o-ring

AA47
7/16” X 7/16” swivel
uses R011 o-ring



S137
High pressure splitter block
7/16” Male x 7/16” F x 7/16” F

AA53
(3) 3/8” Females (1) 3/8” Male

A219
Male 7/16” HP end to
3- 7/16” female HP ends

The user of any diving products should Determine the suitability of each product for its intended use, prior to use

A271
1/4" NPT Female to 3/8" male
chromed adapter

A272
1/4" NPT Male to 3/8" male
chromed adapter

AA54
1/4" NPT male X 3/8" female



A306
1/4" NPT X 2 males

A207
1/4" NPT Swivel end to 1/4 NPT"
High pressure swivel end

A305
Brass 3 way
1/4" NPT X 3 females

SA44
Teflon tape
(for use on NPT threads)



INFLATOR SHUT OFF ADAPTERS

**Easy slide on, slide off (black part)
allows a free flowing inflator to be shut off
manually, then turned back on when needed**

AA09
Big Scubapro inflator hose to
standard inflator

S129
Shop multi adapter
Standard adapter to:
Standard, Mares & Scubapro



A314
Scubapro male end
to standard female end
with easy grip

A235
Standard inflator

A236
Scubapro inflator

A237
Mares IQRD inflator

S121 **S122**

S121 Apex male to Scubapro female
S122 Apex male to standard female



S123 **S124**

S123 Scubapro male to Apex female
S124 Scubapro male to std female



S125 **S126**

S125 Std male to Scubapro female
S126 Standard male to Apex female

ADAPTERS FOR AIR GUN AA03



AA06
Ball filler screws into AA03



AA07
Soft end screws into AA03

AA03
Air gun

A303
Economy
rubber tipped
air blower

AA02
High quality
rubber tipped
air blower

AA04
1/4" NPT M
to standard

AA05
1/4" NPT M to
Scubapro type

A167
1/4" NPT to
Mares type

AA14
Air blaster
with standard air fitting
Has extender tube that
delivers a strong stream
of air and can be used
inside tanks



A173
Tech type tire inflators that connect into standard B.C.D. fittings
Black, blue, gold, red or silver

AA01
Tire inflator



A295
30" High Pressure hose with 2 male ends
7/16" male end to 3/8" male end
Rubber not braided, Black only

A233
BCD Wash out kit
Garden hose to inflator setup



A138
Converts reg hose to
SeaQuest inflator hose

A139
Converts reg hose to Scubapro
AIR 2 inflator hose

AA41
Converts reg hose to
standard inflator hose

AA67
Male regulator end to
2- 3/8" female ends



A310
Easy grip air adapter
reg hose to
standard inflator



A311
Easy grip air adapter
reg hose to
Scubapro inflator



A312
Easy grip air adapter
reg hose to
Mares inflator

AA48
1/2" male
X 3/8" female

AA55
Joins 2 regulator
hoses together

AA52
Regulator angle adapter

A209
90 degree regulator swivel

A228
Twin regulator adapter
1 standard male, to
2 female regulator ends

A231
Super swivel adapter can be used
on most regulator hoses.
Goes between
regulator 2nd stage and air hose.



RMLX
AA56 rebuild kit

Repair service is available from Trident
on AA56 maintenance and repair



AA56
360° regulator swivel
(service annually)

**AA56's should be serviced annually
by a trained tech, using the correct tools,
parts, technique, lubricants and loctite**

AA69
Y-Adapter connects to regulator hose (that has
replaced BC hose) to add an alternate air source
goes between regulator hose and power inflator

The user of any diving products should Determine the suitability of each product for its intended use, prior to use

STOCK AIR HOSES

CENTIMETERS	17.8	66	71	76	81.3	91.4	101.6	106.7	152.4	213.4	457.2	762	1524	3048
INCHES	7"	26"	28"	30"	32"	36"	40"	42"	5'	7'	15'	25'	50'	100'
Regulator 3/8", Black Regulator 3/8", Yellow	AA10 CUSTOM	AA21 CUSTOM	CUSTOM CUSTOM	AA22 CUSTOM	A127 CUSTOM	A128 CUSTOM	AA23 AA18	A130 CUSTOM	A186 CUSTOM	AA24 AA19	AA25	AA26	AA27	AA28
B.C.D. inflator hose------ 3/8" MALE	CUSTOM	AA40	A105	A106	CUSTOM	AA42	CUSTOM	CUSTOM	CUSTOM	A114				
Comfort regulator hose 3/8" MALE	CUSTOM	A220	A221	A222	A223	A224	A225	A226						
High pressure hose------ 7/16" Male	AA11	A117	CUSTOM	AA30	A104	AA31	A129	AA32						
Regulator---------- 1/2" Male	AA12	CUSTOM	AA15	CUSTOM	AA16	CUSTOM	AA17							
High pressure hose------ 3/8" MALE	CUSTOM	CUSTOM	A103	AA33	CUSTOM	CUSTOM	AA34							
Seaquest, Mares, Apex IQRD inflator hose	CUSTOM	A113	A177	A178	A179	A185								
Easy grip drysuit inflator hose 3/8" Male	CUSTOM	CUSTOM	A189	CUSTOM	A190	A191								
Poseidon "Odin"---------- Regulator HOSE	CUSTOM	CUSTOM	A115	CUSTOM	A116									
Aga, OTS & metric style face mask, 3/8" male	CUSTOM	CUSTOM	CUSTOM	CUSTOM	A198									
Scuba pro AIR 2---------- inflator hose	CUSTOM	A112												

O-rings should be changed annually on most products

Hoses should be inspected prior to each use.

EASY GRIP DRYSUIT INFLATOR

IQRD INFLATOR

SCUBAPRO INFLATOR

STANDARD INFLATOR

DACOR REGULATOR

ODIN REGULATOR

STANDARD REGULATOR

FAST SERVICE ON CUSTOM MADE HOSES AVAILABLE

Orders must be faxed or emailed in.

BCD, regulator, gauge lines or compressor hoses

ALL HOSES ARE PRESSURE TESTED DATE STAMPED AND MADE TO ORDER IN THE U.S.A.

1/4" NPT-F AIR STATION

1/4" NPT-M AIR STATION

SWIVEL HP STD. GAUGE

7/16" HP STANDARD

1/2" REGULATOR

3/8" STD. LP OLD STYLE H.P.

AGA METRIC

COMFORT SWIVEL END

EXTREME ABRASION RESISTANCE
EXTERNAL NYLON SAFETY BRAIDING
DESIGNED TO OUTPERFORM AND OUTLIVE RUBBER HOSES

Three styles

High pressure hoses
Regulator low pressure hoses
BC quick-disconnect hoses

Patent-pending MIFLEX double braiding design
Polyurethane compound liner
Polyester inner layer with nylon outer layer braiding
Fittings and sleeves of UNI EN12164 CW 614N chrome plated brass
MIFLEX braided hoses are tightly bound and fixed to the hose core by brass sleeves
Double braiding resists UV rays out of the water, extending the life span of the hose
Oxygen cleaned and tested at the factory

A320-6
Hi pressure 6” X 7/16”

A320-24
Hi pressure 24” X 7/16”

A320-30
Hi pressure 30” X 7/16”

A320-32
Hi pressure 32” X 7/16”

A320-36
Hi pressure 36” X 7/16”

A330-22
Regulator hose 22” X 3/8”

A330-24
Regulator hose 24” X 3/8”

A330-26
Regulator hose 26” X 3/8”

A330-30
Regulator hose 30” X 3/8”

A330-36
Regulator hose 36” X 3/8”

A330-40
Regulator hose 40” X 3/8”

A330-60
Regulator hose 60” X 3/8”

A330-84
Regulator hose 7 foot X 3/8”

A330 YELLOW-36
Regulator hose 36” X 3/8”

A330 YELLOW-40
Regulator hose 40” X 3/8”

A340-22
BCD hose 22” X 3/8”

A340-25
BCD hose 25” X 3/8”

A340-29
BCD hose 29” X 3/8”

A340-32
BCD hose 32” X 3/8”

NEW

The below listed hoses are not MIFLEX

BRAIDED MESH FLEX BCD INFLATOR HOSES

A278
B.C.D. HOSE 3/8” X 26” Yellow only

A279
B.C.D. HOSE 3/8” X 28” Yellow only

A280
B.C.D. HOSE 3/8” X 30” Black or Yellow

A281
B.C.D. HOSE 3/8” X 36” Blue or Yellow

BRAIDED MESH FLEX REGULATOR HOSES

A254
REGULATOR 3/8” X 30”
Blue, Yellow or Green

A265
REGULATOR 3/8” X 7 FOOT
Green only

A266
REGULATOR 3/8” X 25 FOOT
Blue, Yellow or Green

Non-stocked MIFLEX hoses available by special order



AA75
Spiral air hose wrap
50" length

Blue, purple, green, red, hot pink, pink,
orange, hot orange, yellow or hot yellow

AA13
50 Foot roll bulk hose wrap
Same color choices as AA75



AA98
Mesh air hose covers
44" length
Yellow, blue, orange, green, white,
striped, red, pink, or black



DA17
O-ring sealed waterproof identification tube with
write on identification paper, stainless steel ring
Assorted transparent colors

DA16
25 pack replacement identification labels

NEW



S148
Use to punch holes in materials
such as leather plastic & rubber
5/64", 3/32", 7/64", 5/32" 1/8" and 3/8" hole sizes
Works great with service sleeves

NT69
EANx Regulator inspection sleeve

Service sleeves are a good reminder of when to service equipment

RP83
5/8 inside x 2.5
Service sleeves orange or black



RP91
Regulator inspection hose sleeve
Yellow, orange or black
FOR CUSTOM PRINTING PLEASE CALL FOR DETAILS



AA76
Y-Type air hose holder
Black, green, yellow or blue

AA77
Dual air hose holder with swivel
Pink, yellow, green or black

A110
3 Hose holder with clip and lock
Blue, yellow or black

A165
Deluxe dual air hose holder with clip
(works with braided hoses)
Black or yellow

R534
Adjustable air hose holder
with magnetic quick release
works with small braided hoses,
and large regulator hoses

R535
Magnetic Octo holder
Made from machined delrin,
air hose is locked in place,
and magnetic release separates
the hose section from the octopus
which is attached to the ring

A350
Hose holder (non-magnetic)
with plug in release system
black or blue



RP87
Firm ribbed flex vinyl hose protector with special form fit nut grip
Black, blue, yellow, red and green colors
Patent # 409.729



Specially molded end keeps protector
from spinning down hose,
heavy ribbing allows drainage,
raised design gives good looks
and added support to the air hose



RP74
Plastic vented and ribbed air hose protectors
Black, blue, yellow

RPH30
Underwater Kinetic hose protectors
Black only



RP75
Form fit vinyl hose protectors with ribs, cupped end
Black, blue, red, hot green, hot yellow

RP76
Flanged vinyl hose protector, for standard hoses
Red, hot green, black, hot yellow, blue, hot pink

MANY HOSE PROTECTORS AND VALVE CAPS CAN BE CUSTOM PRINTED WITH YOUR STORE NAME, CALL FOR DETAILS

NT30
For nitrox only hose protector

SA05
Hose protector installation tool for
3/8” 7/16” and 1/2” hose ends



R564
Short hose protectors for use on
the 2nd stage end of regulator hose
Black or Orange

Heating in the sun or hot water makes hose protectors easier to install

RP88
2nd stage short hose protector

TANK & VALVE STICKERS

DS53
3 1/4" X 8"

DS54
4" X 10"



DS55
4" X 10"

DS56
4" X 10"

D212 15" Pony bottle sticker
DS16 23" Tank sticker

TANK CONTENTS
THIS TANK CONTAINS THE FOLLOWING PERCENTAGES OF GASES.
OXYGEN:
NITROGEN:
HELIUM:
THE ABOVE MIX WAS BLENDED BY:
OR THE DATE OF:
THE MAXIMUM OPERATING DEPTH WITH THE ABOVE BLEND OF GASES IS:
THIS MIX SHOULD ONLY BE USED BY THOSE WHO HAVE BEEN CERTIFIED FOR IT'S USE.

NT42
Nitrox tank contents certificate sticker

TANK & VALVE
INSPECTION CERTIFICATE
THIS TANK & VALVE HAS PASSED A VISUAL INSPECTION WHICH CONFORMS TO STANDARDS SET BY THE SCUBA DIVING INDUSTRY.
THIS TANK AND VALVE HAVE BEEN CLEANED FOR PREMIX. OXYGEN CONTENT BETWEEN 22% AND 40%.
PUNCH HERE X
THIS TANK AND VALVE HAVE BEEN CLEANED IN ACCORDANCE WITH "O2 STANDARDS."
PUNCH HERE X
THIS CERTIFICATE IS VALID FOR 1 YEAR FROM THE DATE THAT IT IS PUNCHED.
12 13 14 15 16 JAN FEB MAR APR
MAY JUN JUL AUG SEP OCT NOV DEC

NT41
Tank & valve nitrox inspection sticker certificate

ENRICHED AIR NITROX
CAUTION: This cylinder contains NITROX, not air. Do not use without proper training, testing and authorization.

NT80 23" Tank sticker
NT81 Pony bottle sticker 3 1/2" X 15"

Maximum Operations Depth Stickers
2.5" X 8"

DS28-20
MOD-20 sticker

DS28-90
MOD-90 sticker

DS28-70
MOD-70 sticker

DS28-110
MOD-110 sticker

NT40 23" Tank sticker
NT19 Pony bottle sticker 3 1/2" X 15"

NT83 23" tank sticker
NT82 Pony bottle sticker 3 1/2" x 15"


AIR, COMPRESSED
UN 1002
CAUTION: High pressure gas. May accelerate combustion
NON-FLAMMABLE
2
BL-180
Do not remove this label
Keep oil and grease away. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Use in accordance with safety precautions recommended by the supplier.

DS10
For use on vehicles while transporting compressed air 4" X 4"

D213
3" OXYGEN sticker

A126
CBCIP
B.C.D. Inspection certificate tie wraps onto inflator tube
3" diameter

Dolphin Dive Center
Loreto, BCS Mexico
DolphinDiveBaja.com
This tank has passed a visual inspection which conforms to dive industry standards
11 12 13 14 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC VIP PLUS ( )

Have your name added to a curved inspection sticker they are not expensive and only take about 2 weeks to be ready to ship

ANNUAL INSPECTION CERTIFICATE
THIS TANK HAS PASSED A VISUAL INSPECTION WHICH CONFORMS TO STANDARDS SET BY THE DIVE INDUSTRY
14 15 16 17 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC VI PLUS ( )

DS06
Curved Tank inspection sticker
to place on top of tank.

JAN FEB MAR APR MAY JUN
VISUAL INSPECTION CERTIFICATE
THIS TANK HAS PASSED A VISUAL INSPECTION WHICH CONFORMS TO STANDARDS SET BY THE DIVE INDUSTRY.
THIS CERTIFICATE IS VALID FOR 1 YEAR FROM THE DATE WHICH IS PUNCHED.
JUL AUG SEP OCT NOV DEC
2014 2015 2016 2017 V.I. PLUS

DS05
Industry standard tank inspection sticker
3 1/2" X 3 1/3"

GET YOUR CUSTOM STICKERS IN ABOUT 2 WEEKS

TANK VALVE TAPE

NT64
Nitrox tank fill tape



DS07
Nitrox tank fill tape write in %'s of mix

DS01
Custom tank tape
3 roll minimum order on custom



DS02
Tank valve tape, leaves no adhesive residue

SPR-9824401
Spare air inspection sticker

DS43
NITROX valve sticker % of O_2, MOD & DATE 1.25" x 6"

QUICK DRAW™ PONY BOTTLE HOLDERS

TA32
Deluxe double tank connector kit
For most scuba cylinders



TA37
Pony bottle tank bracket
fits all rings



TA38
Clevis pin for pony brackets

TA39
Safety cable for pony bottle holders



TA34
Pony bottle holder kit
includes safety cable
for 30 / 40 cf tanks
5.25" diameter tanks



TA40
Pony bottle holder kit
includes safety cable
& rubber pad
for Luxfer 30 cf
4.9" diameter tanks

TA33
Pony bottle holder kit
includes safety cable
for 13 / 19 cf tanks
4.4" diameter tanks

TA36
Pony bottle ring only
5.25" diameter

TA41
Pony bottle ring only
4.9" diameter

TA35
Pony bottle ring only
4.4" diameter



NEW

3” HEIGHT RUBBER TANK BANDS
TA29-Small
For 7” - 7.25” tanks

TA29-Medium
For 8” - 8.12” tanks

TA29-Large
For 8.1” - 8.25” tanks



1” HEIGHT RUBBER TANK BAND WITH NYLON STRAP
TA21-Medium
6” - 7.25 Band with nylon loop

TA21-Large
7.5” - 9” Band with nylon loop



Stage bottle strap with carry handle and stainless steel swivel bolt snaps
TA12-S
For 6” tanks
TA12-M
For 7.25” tanks
TA12-L
For 8.5” tanks

PONY BOTTLE BAGS

TA15-6
6 cu ft

TA15-13
13 cu ft

TA15-19
19 cu ft



TA19
Easy mount and un-mount slide on Stainless steel pony bottle bracket. Does not include hose clamp rings or mounting hardware



3" HEIGHT RUBBER TANK BANDS
TA29-Small
For 7" - 7.25" tanks

TA29-Medium
For 8" - 8.12" tanks

TA29-Large
For 8.1" - 8.25" tanks

NEW

TA25-S
Nylon wrapped tank clamp
For 6" Tanks
TA25-M
For 7.25" tanks
TA25-L
For 8.5" tanks

D715
Fits up to 3 1/2"
D717
Fits up to 5"

A316
BCD backpack screw
3/4" x 5/8"

TA08
Plastic tank back pack



TA04
306 Stainless steel
tech backpack plate

TA05
Complete backpack assembly

TA17
Tank support plate



TA18
Metal buckle tank strap

TA06
Soft band assembly

TA09
Soft band cam buckle

VINYL TANK BOOTS



TA51
Vinyl unbreakable tank boots fit 7.25” flat bottom tanks
Hot yellow, hot green, black, red, blue

VINYL TANK BOOTS ARE BRIGHT IN COLOR AND WILL NOT MARK UP POOL BOTTOMS LIKE PLASTIC TANK BOOTS CAN

PLASTIC TANK BOOTS



TA52
Colored hex rim tank boot for 7.25” aluminum tanks
Hot green, blue, yellow, black, hot pink

“USED” plastic tanks boot are not returnable for any reason



TA52-R **TA53** **TA54** **TA55 & TA58** **TA56**

TA52-R Round rim for 7.25” aluminum tanks, flat bottom
TA53 Hex rim for 6.9” steel tanks, round bottom
TA54 Hex rim for 8” aluminum tanks, flat bottom

TA55 Hex rim for 7.25” steel tanks, round bottom
TA58 Hex rim for 8” steel tanks, round bottom
TA56 Hex rim for 6.9” aluminum tanks, flat bottom

Tank boots are about 3.5” in height from inside bottom to top of boot



TA72
Tank bumper ring for 8" tanks

**To install hard plastic tank boots;
Lift tank by valve about 8”, while holding valve, drop straight down onto and into the tank boot.
It’s a snug fit**

TA57
Soft unbreakable
“rubber” tank boot
for 7.25” aluminum tanks



TA50
GLOWS IN THE DARK
“plastic” tank boot for
7.25" aluminum flat bottom tanks

TANK PROTECTORS FOR 6.9" - 7.5" INCH TANKS

Tank Protectors are about 22” in height and can easily be cut to fit.
They are made from the best quality long lasting protective material



TA60
Standard color tank protectors with long lasting diamond weave pattern
Assorted, Black, clear, pink, red, royal or yellow

TANK BANGERS



TA20
“Grip it”, the best tank banger / noise maker available.
Slotted unbreakable oval ball provides easy grip,
good looks and extra noise
patent # D381,593

TA65
Hi visibility tank protectors with long lasting diamond weave pattern
Neon pink, neon yellow, or hot green

TANK CARRIERS

TA10
Standard tank carrier,
Fits tanks up to 8” diameter.
Black or blue

TA11
Deluxe tank carrier with
leverage rings for a sure
and tight fit.
Fits tanks up to 8” diameter.
Black or blue



TA80
2 adjustable size Roll Control tank holders,
will hold tanks up to 8 1/2” diameter.
Color choice of White or Black



TA83
Roll control carry handle **ONLY**.
Does not include tank (#TA89) brackets



TA22
2 tank EVA flex foam tank rack,
lightweight design works great
in car trunks, trucks, and boats.
Will hold most tanks.

TA23
3 tank EVA flex foam tank rack

TA01
Plastic tank cradle with straps, parts interlock
together to make great tank storage racks, for boats too.
Will hold most SCUBA tanks

TA02
2 tank flex foam tank rack,
lightweight design works great in car trunks,
trucks, and boats. Will hold most tanks.
19" X 6" X 2"

TA03
3 tank flex foam tank rack
29" X 6" X 2"

OVERSIZE SHIPPING CHARGES MAY APPLY, AND ARE NOT PART OF THE FREE FREIGHT PROGRAM

Roll Control®

System

Start with a 48" aluminum track or choice of 12" or 20" molded track and custom design an accessory system for your boat, watercraft or van.

TA81 48" extruded aluminum railing for roll control accessories. Each rail will hold up to 4 scuba tanks
TA98 Plastic track 20" PVC **TA97** 12" Plastic track

Then add: Tank brackets which are available in standard and fold down, "V" twist spear gun holders, boat cleat, can and wine glass holders, fishing rod holders in Port side, Starboard side and straight up models or get a variable use accessory mount. Tank handles are also available.

ROLL CONTROL LOCK SYSTEM

"V" TWIST - LOCK SUPPORT

Assembles Quickly to Existing Roll Control Bracket System • Vertical and Horizontal Mounts Available
Straps Hold All Standard Spearguns • PVC Brackets (Both White & Black)

ROLL CONTROL TANK HOLDER PARTS

TA81
48" extruded aluminum railing for roll control accessories
Each rail will hold up to 4 scuba tanks

TA97
12" Plastic track

TA98
Plastic track 20” PVC

TA82
End stop kit for roll control rail

TA84
Mounting kit for roll control rail



TA84
Mounting Kit



TA82
End Cap & Stop Kit

TA80
2 adjustable size tank holders, will hold tanks up to 8 1/2” diameter.
Railing IS NOT included
Color choice of White or Black

TA83
TANK HANDLES
snap into standard brackets tank holders
(Tank holders are not included)

TA89
2 standard NON adjustable tank holders, will hold 6.9" - 7.25” diameter tanks
Railing IS NOT included Color choice of White or Black

TA28
Double (twin) tank adapter
to be used with TA80 adjustable tank brackets
Black or White



TA43-Black
Roll Control, locking tank brackets with stretch rubber straps
Works with aluminum or plastic Roll Control tracks



TA43-White
Roll Control, locking tank brackets with stretch rubber straps
Works with aluminum or plastic Roll Control tracks

TA90
ROD HOLDER KIT
Three straight rod holders
and 16” aluminum track



TA85
Fishing rod holders that slide into track.
Port (TA85-**P**),
Starboard (TA85-**S**)
or Straight up (TA85-**ST**)
Sold individually

TA86
Rope cleat

TA88BLK
Roll control spear gun holders
sold by the pair



TA88WHT
Roll control spear gun holders
sold by the pair

TA87
Accessory mount

TA91
Track mount

TA92
Suction mount

TA93
Adhesive mount

TA94
Track mount
TA95
Suction mount
TA96
Adhesive mount

Beverage holders:
Hold everything from coffee cups and mugs to bottles and koozies even sunglasses and cell phones!

MAX HOLDING SYSTEM® SUCTION SUPPORT TANK & SPEARGUN HOLDERS

No drilling into your boat required

Industrial suction mounts hold up to 350 pounds of resistance per track



TA24-2
2 tank mounting kit with speargun holder, 24" width
powder coated white track and two suction holders

TA26
Single speargun bracket only
White only

TA24-4
Complete 4 tank holding system with 2 speargun brackets, 45" width
2 suction cup mounts, 48" white powder coated track and 4 adjustable tank holders



TA27
Dual speargun holder
with suction bracket and track

TA24-3
Complete 3 tank holding system with speargun bracket, 33" width
2 suction cup mounts, 36" white powder coated track and 3 adjustable tank holders

TA01
Plastic tank cradle with straps, parts interlock together to make great tank storage racks, for boats too. Will hold most SCUBA tanks

TA02
2 tank flex foam tank rack, lightweight design works great in car trunks, trucks, and boats. Will hold most tanks. 19" X 6" X 2"

TA03
3 tank flex foam tank rack 29" X 6" X 2"

OVERSIZE SHIPPING CHARGES MAY APPLY, AND ARE NOT PART OF THE FREE FREIGHT PROGRAM



TA16
6 Tank wire tank rack
17 3/8" X 25 7/8" X 11 3/16" 13 LBS

TA14
4 Tank wire tank rack
8 3/4" X 34 1/4" X 9" 11 LBS

OVERSIZE SHIPPING CHARGES APPLY, AND ARE NOT PART OF THE FREE FREIGHT PROGRAM



TA44
PVC pipe style tank rack
secures 2 tanks



TA46
PVC pipe style tank rack
secures 3 tanks



TA22
2 tank flex foam tank rack, lightweight design works great in car trunks, trucks, and boats. Will hold most tanks.

TA23
3 tank flex foam tank rack

SUBMERSIBLE PRESSURE GAUGES DEPTH GAUGES, CONSOLES AND COMPASSES

AA64
Submersible
2 1/4" pressure gauge
chrome plated brass / ss top
(5000 PSI) 7/16"
(no hose)

AA64-BAR
Submersible
2 1/4" pressure gauge
chrome plated brass / ss top
(300 BAR) 7/16"
(no hose)

A201
Mini 1 1/2" submersible
5000 psi pressure gauge
with 7/16" HP hose
and rubber console

A251
Mini 1 1/2" submersible
300 BAR pressure gauge
with 7/16" HP hose
and rubber console



A232 BAR
Mini pony bottle
high pressure 350 bar gauge
7/16" threading

A232 PSI
Mini pony bottle
high pressure 5000 psi gauge
7/16" threading

A120
Mini pony bottle
high pressure 5000 psi gauge
7/16" threading

H.P. SWIVEL SPOOLS WITH O-RINGS



AA87 **AA63** **A142**

O-rings should be changed annually on most products (use R003)

HAND HELD ELECTRONIC DEPTH METER

D730
Electronic depth meter, accurate to 250 feet, floats,
lighted display, with continuous scanning option,
uses 1 "9 volt" battery, beam angle 24 degrees

A170
First stage L.P.
3/8" relief valve
200-250 psi open



A204
H.P. Hose adapter
Connect a pony bottle pressure gauge
to HP Hose with this unit

A202
Mini 2 Gauge console
with 1 1/2" submersible
5000 psi pressure gauge,
depth gauge (in feet),
with 7/16" HP hose
and rubber console

A252
Mini 2 Gauge console
with 1 1/2" submersible
300 bar gauge,
depth gauge (in meters),
with 7/16" HP hose
and rubber console

A203
Mini 3 Gauge console
with 1 1/2" submersible
5000 psi pressure gauge
side reading mini compass,
depth gauge (in feet)
with max depth
7/16" HP hose
and rubber console

A253
Mini 3 Gauge console
with 1 1/2" submersible
300 BAR pressure gauge
side reading mini compass,
depth gauge (in meters)
with max depth
7/16" HP hose
and rubber console

O-rings should be changed annually on most products
Hoses should be inspected prior to each use.

All consoles with gauges come with standard 7/16" high pressure hoses.

A205
Mini 2 Gauge console with
1 1/2" submersible
5000 psi pressure gauge
side reading mini compass
with 7/16" HP hose
and rubber console

A255
Mini 2 Gauge console with
1 1/2" submersible
300 BAR pressure gauge
side reading mini compass
with 7/16" HP hose
and rubber console

A206
3 Gauge console with
2 1/4" submersible
5000 psi pressure gauge
side reading compass,
depth gauge (in feet)
with max depth marker
7/16" HP hose
and rubber golf style console

A256
3 Gauge console with
2 1/4" submersible
300 BAR pressure gauge
side reading compass,
depth gauge (in meters)
with max depth marker
7/16" HP hose
and rubber golf style console

NAVIGATION SLATES



D693
Pull down easy view compass
with mini retractor

SL06
Navigator slate
with side read compass & pencil
8” X 10”

SL09
Navigator slate with side read compass,
mini retractor & pencil
4” X 6”

D692
Easy view compass slate
combo with quick release
6” x 7”

D684
Pull down easy view compass
slate combo with mini retractor
2 1/2” x 6”

D718
Retractor compass with snap



D719
Retractor compass with clip



SL07
Bearing buddy slate navigational aid
6” x 6”

D764
Wrist mount compass

D690
Pro diver side view wrist compass,
comes with air hose holder

D627
Wrist mount side view compass with holder

D628
Wrist mount compass HOLDER only (no compass)

D622
Mini wrist mount side view compass with holder

D674
Wrist mount side view
compass with holder

D677
Wrist mount compass
HOLDER only
(no compass)

D626
Console slide on mount with
side view compass
Max depth 160’



D763
Hose mount compass

D673
Drop in side view
replacement compass,
fits Oceanic® style
compass holders

D624
Drop in side view
replacement compass

D692
Easy view compass slate
combo with quick release
6” x 7”



SL09
Navigator slate
with
side read
compass,
mini retractor
& pencil
4” X 6”

D693
Pull down easy view compass
with mini retractor

DA28
PROTECT A GAUGE KIT
The best protection you can put on a gauge or computer console to protect it from scratches. Use it with a gage guard and you'll never scratch a gauge. Comes with 2 self adhesive mylar strips, 1 precut for 2 round gauges and watch, 1 large rectangle that will fit most computers

PLASTIC GAUGE PROTECTORS

GFP29-06	Oceanic:	Datatrans, Datatrans Plus
	Aeris:	750GT
	Dacor:	Extreme access
	U.S.D.:	Scan 5
GFP40-06	Depth gauges by:	Genesis, Contempro, Oceanic, Sherwood, U.S.D.
GFP54-06	Genesis:	Vyper / Cobra
GFP55-06	Oceanic:	XTC-100. Aeris: Savant



LENZ GUARDZ

Protects gauges and computers from scratches, abrasions and harmful ultraviolet rays.

Visual clarity, thickness, quality are instantly noticeable.

The adhesive will withstand prolonged exposure to salt, fresh and chlorinated water in hot and cold environments.

Built-in ultraviolet inhibitors to protect your gauge or computer from harmful sunlight exposure and damage.

FOR USE ON ALL TYPES OF LENS

ITEMS IN BLUE INDICATE THE BEST SELLING PRODUCTS

AERIS
SAVANT 002-004

BEAUCHAT
ALADIN,SPORT AND PRO 003-001

COCHRAN
CAPTAIN 004-001

DACOR
EQUANO / SPORTSTER 005-001
EXTREME ACCESS 005-002
OMNI SERIES / QUANTUM LOOP 005-003
DIGITAL DEPTH GAUGE 005-004

DIVE-RITE
B-AIR 006-001

MARES
APNEIST 009-002
MISSION SERIES 009-008

OCEANIC
DATAMAX PRO 011-001
XTC-100 011-005
VEO 005-003

OMS
BOTTOM TIMER 012-001
NITROX COMPUTER 012-002
ANALOG PRESSURE GAUGE 012-003

SCUBAPRO
DC-11 / DC-12 / SG-12 / EDI SERIES . . .014-001
EON LUX / FAVOR AIR LUX 015-001

SEAQUEST / SUUNTO
FAVOR / FUSION 015-002
SOLUTION NITROX 015-004
ANALOG PRESSURE GAUGE 015-006

SHERWOOD
AWAC-1 / COURIER 016-001

TUSA
IMPREX SERIES 017-001

U.S. DIVERS
DATASCAN 018-001
FAVOR 018-004
MATRIX SERIES 018-005
MONITOR SERIES 018-006
SCAN SERIES 018-008

UWATEX
ALADIN AIR CONSOLE 019-001
ALADIN AIR X / NITROX X / AIR X O2 .019-002
ALADIN PRO / SPORT GEN I 019-003

DIGITAL COMPASS 019-004
DIGITAL DEPTH GAUGE 019-007

ZEAGLE
STATUS SERIES 020-001

ROUND
1 3/4 INCH diameter 021-008